

Date: Monday, 3/19/2007 8:13:34 AM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : INSULATION SOCKS & HOSES
Job Number : 31262	
Estimate Number : 12391	
P.O. Number : NIA	Part Number : D348213
This Issue : 3/19/2007 S.O. No. : NIA	Drawing Number : D3482 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : NIA Type : PURCHASED PARTS	Drawing Revision : B
Previous Run : 26965	Material : NIA
Written By : _____	Due Date : 3/23/2007 Qty: <u>16</u> Um: Each
Checked & Approved By : <u>07.03.19</u>	
Comment : Est Rev:A New Issue 06-04-21 JLM	
Est Rev:B As per Rev B 06-05-24 JLM	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D348213P	HOSE INSULATION
-----	----------	-----------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 13.0000 Each(s)
 INLET INSULATION SOCK

2.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING
 Issue P/O: 3347
 Fabricate as per Dwg D3482
 Possible Supplier: Tempco Tec Inc
 Material release note is required

07/03/19
16

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Receive & Inspect For Transit Damage
 Ensure material certification is attached

07/03/26 16

POSITIVE
RECALL

4.0	QC6	DIMENSIONAL CHECK
-----	-----	-------------------



Comment: DIMENSIONAL CHECK

07-03-30

170

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
 Identify and Stock
 Location: _____

07/3/30 1
07/4/14 15

POSITIVE RECALL

EFFECTIVE 07-03-30 AUTH u

RELEASED u DATE 07/24/14

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
0703-30	4.0	1 part needed for shipment. Material claims are good, but did not receive material certs yet.					

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ Date: 07/04/12
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 3/19/2007 8:13:34 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: INSULATION SOCKS & HOSES

Job Number: 31262

Part Number: D348213

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



(16)

Comment: FINAL INSPECTION/W/O RELEASE

Done 04/12

Job Completion



u 07.03.30 (1)

u 07.04.11 15


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





RELEASED
06-05-16



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31262

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



NOTES:

- 1) MATERIAL: BEIGE TECGLASS GL 2025/9383 PER MIL-C-20079H
TYPE I, CLASS 9 (WITH 9383 FINISH)
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 2) THREAD: E-12 FIBERGLASS-TFE THREAD PER MIL-C-20079H(SH)
TYPE III, CLASS 3 OR ASTM D 4040-89
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES 0.005 TO 0.010 MAX

9H SHOP COPY
RETURN TO
H(SH) ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
NOTED WORK ORDER
NO. 31262


Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO. D3482	REV. B SHEET 3 OF 3
DATE 06.05.16		TITLE INSULATION SOCKS & HOSES	SCALE 1:4

RELEASED
06.05.16



P/N D3482-X	L (in)
D3482-5	20
D3482-7	36
D3482-9	48
D3482-11	30
D3482-13	52



NOTES:

- 1) MATERIAL: BEIGE TECGLASS GL 2025/9383 PER MIL-C-20079H
TYPE I, CLASS 9 (WITH 9383 FINISH)
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 2) THREAD: E-12 FIBERGLASS-TFE THREAD PER MIL-C-20079H(SH)
TYPE III, CLASS 3 OR ASTM D 4040-89
POSSIBLE SUPPLIER: TEMPRO TEC INC.
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES 0.005 TO 0.010 MAX

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31262

Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

TEMPRO TEC Inc.

PACKING SLIP

ORDER NUMBER: 0029114

 ORDER DATE: 19-Mar-2007
 SALESPERSON: TT
 ORDER DESK JSS

 7210C - 5 Street S.E.
 Calgary, Alberta
 T2H 2L9

 Bus: 4032163300
 Toll: 800-565-3907
 Fax: 403-216-3306

 SOLD TO:
 DART AEROSPACE
 1270 ABERDEEN STREET
 HAWKSBURY, ON K6A 1K7

DAR100

 SHIP TO:
 DART AEROSPACE
 1270 ABERDEEN STREET
 HAWKSBURY, ON K6A 1K7

 CONFIRM TO: Chantal
 Phone: (613) 632-9577

Fax: (613) 632-1053

WAREHOUSE: 000 TEMPRO TEC - CALGARY

 CUSTOMER P.O.
 PO00003347

 FRT CHARGES
 COLLECT

 CARRIER
 FED EX AIR-Acct# 15179

F.O.B.

DATE SHIPPED

 TERMS
 NO TERMS

ITEM NO.

DESCRIPTION

ORDERED UNIT

SHIPPED

BACKORDER

LOT #

90INSULSK13P

FG Insul Sock # D348213P

2.00 SET

3-4 Days lead time to produce.

To be produce - same as last order - IN# 26652-IN

Waybill #

Packed



7210 C - 5th Street SE
Calgary, Alberta
T2H 2L9

Technical Data Sheet

Bus: 403-216-3300
Fax: 403-216-3306
www.temprotec.com

TECGLASS® GL 2025/9383



APPROVED

FM STANDARD 4950 *
WELDING CURTAINS

TEMPERATURE RESISTANCE	1000° F
CONTENT	100% FIBERGLASS YARNS
WEAVE	PLAIN
WEIGHT	18.0 oz / yd ²
THICKNESS	0.036"
COLOR	BEIGE
COUNT	WARP: 19 FILL: 14
FABRIC FINISH	PLAIN OR 9383 (HEAT CLEANED) **
USCG SPECIFICATIONS	164.009 "TEST FOR INCOMBUSTIBILITY"
MILITARY SPECIFICATIONS	MIL C 20079H TYPE 1 CLASS 9 (WITH 9383 FINISH)
SIZE	40" & 60" x 50 lyds
FEATURES	TECGLASS® IS SAFE, TOUGH AND VERSATILE

** HEAT CLEANED (9383) MATERIAL HAS BEEN APPROVED AS A WELDING CURTAIN UNDER FM APPROVAL STANDARD 4950 FOR HOT WORK PROTECTION

* NOTE: WELDING PADS AND WELDING BLANKETS MAY ALSO BE USED AS WELDING CURTAINS.

TecGlass® is a registered trademark of Tempo Tec Inc.

THE INFORMATION PRESENTED IS INTENDED AS A SPECIFICATION GUIDE ONLY. MATERIALS SHOULD BE TESTED FOR ITS SUITABILITY IN ANY APPLICATION. USERS SHOULD ALSO FAMILIARIZE THEMSELVES WITH THE MSDS BEFORE HANDLING. NO WARRANTIES ARE EXPRESSED OR IMPLIED AS APPLICATION CONDITIONS ARE BEYOND OUR CONTROL



7210 C - 5th Street SE
Calgary, Alberta
T2H 2L9

Technical Data Sheet

Bus: 403-216-3300
Fax: 403-216-3306
www.temprotec.com

FIBERGLASS-TFE THREAD

	<u>E-12</u>	<u>E-18</u>	<u>E-24</u>
FILAMENT SIZE	0.014"	0.017"	0.020"
YIELD	2975 yds / lb	2000 yds / lb	1475 yds / lb
AVERAGE BREAK STRENGTH	14 lbs	19 lbs	27 lbs
SPECIFICATIONS			MIL-C 20079H(SH) TYPE III, CLASS 3 ASTM D 4030-89
PACKAGING APPROX.	2.0 lbs / SPOOL	2.0 lbs / SPOOL	2.0 lbs / SPOOL

FEATURES

- CONTINUOUS FILAMENT FIBERGLASS THREAD COATED WITH PTFE (TEFLON)
- WILL NOT BURN, -400° F TO 1000° F (-204°C TO 538°C)
- UNAFFECTED BY FUNGI AND MOST ACIDS/ALKALIS
- FLEXIBLE, HIGH ABRASION RESISTANCE
- IMPROVED SEWABILITY

THE INFORMATION PRESENTED IS INTENDED AS A SPECIFICATION GUIDE ONLY. MATERIALS SHOULD BE TESTED FOR ITS SUITABILITY IN ANY APPLICATION. USERS SHOULD ALSO FAMILIARIZE THEMSELVES WITH THE MSDS BEFORE HANDLING. NO WARRANTIES ARE EXPRESSED OR IMPLIED AS APPLICATION CONDITIONS ARE BEYOND OUR CONTROL.